
# FELIX | Single







### **TECHNICAL DATA:**

- The one-sided compact gluing plotter
- Hot melt & cold glue simultaneous application
- 2 independent up & down stacking work tables, with safety sensors
- · Semi-automatic material loading
- Max single table load 300 kg
- Material stack height 500 mm
- Camera for remote technical support & service
- PC on Windows with the internet connection
- FELIX GLUER: Pro software full license

# 900 glue stand 900 pc stand 2530 FELIX GLUER : Single M 2 x [1000 x 1650]


dimensions in mm

FELIX GLUER : Single			
S	[1650 x 1250]	2 x [825 x 1250]	
М	[2000 x 1650]	2 x [1000 x 1650]	
L	[2200 x 1800]	2 x [1100 x 1800]	
XL	[2500 x 1800]	2 x [1250 x 1800]	


### **GLUE ANY MATERIAL:**




### ANY GLUING PATH POSSIBLE:




















# **RE:CALCULATE** your production, capabilities and costs











# Extend the **FG: Single** configuration to increase productivity.

### FELIX GLUER: Photopath system

Easy glue paths design in just 3 steps:

- The system takes a photo of the implemented/loaded elements.
- 2. The operator draws glue paths on the photo.
- 3. The machine applies glue according to the design.





### FELIX GLUER: PRO Office

Prepare gluing projects in your office/DTP department & send ready files directly to the machine.

CAD files import:







### FELIX GLUER: Card access


Touchless logging system to the FELIX GLUER. Different access levels and roles for machine users: operator/admin/service.


### FELIX GLUER: Statistics

Production costs data analyzer.


### Calculate:

- · gluing time per element or the whole job
- · glue consumption per element or the whole job
- production time
- · glue weighing option in the machine





Connect FELIX GLUER to your company's internal network system.



Get remote technical assistance on software and machine operation anytime your operator needs it.

## $\textbf{FELIX} \ \textbf{GLUER}: \textbf{WORLDWIDE INSTALLATIONS} \ \& \ \textbf{PARTNERS}$



CONTA	FELIX GLUER	
Office & production:	International distribution channel:	www.felix-gluer.com
FELIX LAB sp. z o.o. ul. Sikorskiego 119 05-080 Klaudyn, Poland	SŁAWOMIR MARĆ Sales Channel Manager +48 501 471 089 slawomir.marc@felix-gluer.com	Made in EU  O  O  O  O  O  O  O  O  O  O  O  O  O
Contact for media:	Service & Technical support:	
JULIA GRZESIAK Head of Marketing & PR julia.grzesiak@felix-gluer.com +48 780 143 473	support@felix-gluer.com	